## Montana Board of Oil and Gas Conservation Environmental Assessment

Proposed Action: Approve Drilling Permit (Form 22)
Operator: Continental Resources, Inc.
Well Name/Number: June BR 1-5HSL
Location: Lot 1 Section 5 T24N R53E
County: Richland, MT; Field (or Wildcat) W/C (Bakken Horizontal)
Air Quality
(possible concerns)
Long drilling time: No, 30 to 40 days drilling time.
Unusually deep drilling (high horsepower rig): No. triple derrick (1000HP) drilling rig to
<u>drill to 15,836'MD/9323'TVD.</u>
Possible H2S gas production: Slight
In/near Class I air quality area: No Class I air quality area.
Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required
<u>under 75-2-211.</u>
Mitigation:
Air quality permit (AQB review)
Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: No special concerns – using triple rig to drill to
15,836'MD/9323'TVD – 1 horizontal lateral.
(possible concerns)
(possible concerns)
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole.
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated.
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, nearest drainages are an unnamed
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated.
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond.
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond. Water well contamination: No, closest water wells are about 3/5 of a mile to the
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond. Water well contamination: No, closest water wells are about 3/5 of a mile to the northwest, 7/10 of a mile to the east and 1 mile to the southwest from this location
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond. Water well contamination: No, closest water wells are about 3/5 of a mile to the northwest, 7/10 of a mile to the east and 1 mile to the southwest from this location Depth of all water wells are 200' or less. Surface casing setting depth is 1300'. Surface
Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole.  High water table: No high water table anticipated.  Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond.  Water well contamination: No, closest water wells are about 3/5 of a mile to the northwest, 7/10 of a mile to the east and 1 mile to the southwest from this location Depth of all water wells are 200' or less. Surface casing setting depth is 1300'. Surface hole will be drilled with freshwater and freshwater mud. Steel surface casing will be run
Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole.  High water table: No high water table anticipated.  Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond.  Water well contamination: No, closest water wells are about 3/5 of a mile to the northwest, 7/10 of a mile to the east and 1 mile to the southwest from this location  Depth of all water wells are 200' or less. Surface casing setting depth is 1300'. Surface hole will be drilled with freshwater and freshwater mud. Steel surface casing will be run and cemented to surface from 1280'.
Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole.  High water table: No high water table anticipated.  Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond.  Water well contamination: No, closest water wells are about 3/5 of a mile to the northwest, 7/10 of a mile to the east and 1 mile to the southwest from this location. Depth of all water wells are 200' or less. Surface casing setting depth is 1300'. Surface hole will be drilled with freshwater and freshwater mud. Steel surface casing will be run and cemented to surface from 1280'.  Porous/permeable soils: No, sandy clay soils.
Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole.  High water table: No high water table anticipated.  Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond.  Water well contamination: No, closest water wells are about 3/5 of a mile to the northwest, 7/10 of a mile to the east and 1 mile to the southwest from this location Depth of all water wells are 200' or less. Surface casing setting depth is 1300'. Surface hole will be drilled with freshwater and freshwater mud. Steel surface casing will be run and cemented to surface from 1280'.  Porous/permeable soils: No, sandy clay soils.  Class I stream drainage: No Class I stream drainages in the area.
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond. Water well contamination: No, closest water wells are about 3/5 of a mile to the northwest, 7/10 of a mile to the east and 1 mile to the southwest from this location Depth of all water wells are 200' or less. Surface casing setting depth is 1300'. Surface hole will be drilled with freshwater and freshwater mud. Steel surface casing will be run and cemented to surface from 1280'. Porous/permeable soils: No, sandy clay soils. Class I stream drainage: No Class I stream drainages in the area.  Mitigation:
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond. Water well contamination: No, closest water wells are about 3/5 of a mile to the northwest, 7/10 of a mile to the east and 1 mile to the southwest from this location Depth of all water wells are 200' or less. Surface casing setting depth is 1300'. Surface hole will be drilled with freshwater and freshwater mud. Steel surface casing will be run and cemented to surface from 1280'. Porous/permeable soils: No, sandy clay soils. Class I stream drainage: No Class I stream drainages in the area.  Mitigation: X Lined reserve pit
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond. Water well contamination: No, closest water wells are about 3/5 of a mile to the northwest, 7/10 of a mile to the east and 1 mile to the southwest from this location Depth of all water wells are 200' or less. Surface casing setting depth is 1300'. Surface hole will be drilled with freshwater and freshwater mud. Steel surface casing will be run and cemented to surface from 1280'. Porous/permeable soils: No, sandy clay soils. Class I stream drainage: No Class I stream drainages in the area.  Mitigation: X Lined reserve pit X Adequate surface casing
(possible concerns) Salt/oil based mud: Yes, oil based invert drilling fluid on intermediate string hole and brine water on the horizontal lateral. Freshwater and freshwater mud system on surface hole. High water table: No high water table anticipated. Surface drainage leads to live water: Yes, nearest drainages are an unnamed ephemeral tributary drainage to Horse Creek ephemeral, about 3/10 of a mile to the northeast and 1/5 of a mile to the southwest and 2/5 of a mile to the southeast from this location. Within the ephemeral drainage to the southeast of this location there is a stock pond. Water well contamination: No, closest water wells are about 3/5 of a mile to the northwest, 7/10 of a mile to the east and 1 mile to the southwest from this location Depth of all water wells are 200' or less. Surface casing setting depth is 1300'. Surface hole will be drilled with freshwater and freshwater mud. Steel surface casing will be run and cemented to surface from 1280'. Porous/permeable soils: No, sandy clay soils. Class I stream drainage: No Class I stream drainages in the area.  Mitigation: X Lined reserve pit

Off-site disposal of solids/liquids (in approved facility) Other:
Comments: 1280' of surface casing cemented to surface adequate to protect
freshwater zones.
Soils/Vegetation/Land Use
(possible concerns)
Steam crossings: No, stream crossings anticipated.
High erosion potential: No, moderate cut, up to 20.4' and moderate fill, up to 15.2',
required
Loss of soil productivity: No, location will be restored after drilling if nonproductive. If
productive unused portion of drillsite will be reclaimed.
Unusually large wellsite: No. 450'X4000' location size required.
Damage to improvements: Slight, surface use appears to be cultivated land.
Conflict with existing land use/values Slight
Mitigation ————
Avoid improvements (topographic tolerance)
Exception location requested
X Stockpile topsoil
Stream Crossing Permit (other agency review)
X Reclaim unused part of wellsite if productive
Special construction methods to enhance reclamation
X Other: Requires DEQ General Permit for Storm Water Discharge Associated
with Construction Activity, under ARM 17.30.1102(28).
Comments: Access will be off of an existing county road #201 and existing well
access road. A new access road of 61.6' will be built to location. A lined reserve pit will
be used to hold drill cuttings and excess drilling fluids. Oil based invert drilling fluids will
be recycled after the well in finished drilling. Completion fluids and any free liquids in the
reserve pit will be trucked to a Class II Disposal. Cuttings will be allowed to dry in the
reserve pit, after drying the cuttings will be buried in the lined reserve pit. No special
<u>concerns.</u>
<del></del>
Health Hazards/Noise
(possible concerns)
Proximity to public facilities/residences: <u>Buildings about 1.2 miles to the northeast and</u>
1.4 miles to the southwest of this location.
Possibility of H2S: Slight
Size of rig/length of drilling time: Triple drilling rig 30 to 40 days drilling time.
Mitigation:
X Proper BOP equipment
Topographic sound barriers
H2S contingency and/or evacuation plan
Special equipment/procedures requirements
Other:
Comments: Adequate surface casing and operational BOP should mitigate any
problems. No concerns.

## Wildlife/Recreation

(possible concerns)
Proximity to sensitive wildlife areas (DFWP identified): None identified.
Proximity to recreation sites: None identified
Creation of new access to wildlife habitat: No
Conflict with game range/refuge management: No
Threatened or endangered Species: <u>Listed threatened or endangered Species in</u>
Richland County, Piping Plover, Interior Lease Tern, Whooping Crane and Pallid
Sturgeon. No species of concern.
Mitigation:
Avoidance (topographic tolerance/exception)
Other agency review (DFWP, federal agencies, DSL)
Screening/fencing of pits, drillsite
Other:
Comments: Private cultivated surface lands with no live water within ½ of a
mile of this location. No concerns
Historical/Cultural/Paleontological
(possible concerns)
Proximity to known sites None identified.
Mitigation
avoidance (topographic tolerance, location exception)
other agency review (SHPO, DSL, federal agencies)
Other:
Comments: On private surface lands. No concerns.
Cosial/Faanamia
Social/Economic
(possible concerns)
Substantial effect on tax base
Create demand for new governmental services
Population increase or relocation
Comments: No concerns
Remarks or Special Concerns for this site
Well is a 15 936'MD/0 233'TVD Bakkan harizantal devalanment well test in Biobland
Well is a 15,836'MD/9,323'TVD Bakken horizontal development well test in Richland
County
Summary: Evaluation of Impacts and Cumulative effects
No long term impacts expected. Some short term impacts will occur.
<u> </u>

I conclude that the approval of the subject Notice of Intent to Drill (does/<u>does not</u>) constitute a major action of state government significantly affecting the quality of the human environment, and (does/<u>does not</u>) require the preparation of an environmental impact statement.

Prepared by (BOGC): John Gizicki (title:) Compliance Specialist
Date: March 24, 2014
Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website
(Name and Agency)
Richland County water wells
(subject discussed)
<u>March 24, 2014</u> (date)
(date)
US Fish and Wildlife, Region 6 website
(Name and Agency)
ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA
COUNTIES, Richland County
(subject discussed)
March 24, 2014
(date)
If location was inspected before permit approval:
Inspection date:
Inspector: Others present during inspection:
Others present during inspection.